



[Home](#) :: [Products](#) :: [Technical Info](#) :: [Satisfied Customers](#) :: [Links](#) :: [How To Order](#) :: [Where To Buy](#)

Resetting Oil Service Indicator Lights

Volvo

NEWSLETTER

Sign up for relevant news, new products, and promotions

We hate spam as much as you! Your email will never be rented or sold to third parties and you can unsubscribe at any time.

NEWS

[January 09 - Diesel Recovery emergency fuel treatment](#)

[January 08 - Amsoil introduces brake fluids](#)

[June 07 - AMSOIL ATF saves the day for drag racer](#)

[Read all news items >](#)

ARTICLES



[Does your differential feel neglected?](#)

[Amsoil improves fuel economy in 1997 BMW 328 - 1 year of data](#)

[Reset your oil light - full instructions for all cars](#)



Volvo 240, 1987-89

When "SERVICE" light is illuminated, reach behind instrument panel and push lever (A) located between tachometer and speedometer.



Volvo 740, 1986-88; 780, 1988-90

When "SERVICE" light is illuminated, reach behind the instrument panel and press button (A) located to right of the speedometer.



Volvo 240, 1990-93 740, 1989-92; 760, 1986-90; 850 1993-95 w/Yazaki Cluster*, 940,960, 1991 -95

*Odometer above speedometer needle.

When "SERVICE" light is illuminated, remove cap on face of instrument panel between clock and speedometer. Insert a thin bladed tool into cavity and press reset button (A).




[Amsoil goes up against the oil giants in tests](#)

[10 Myths about synthetic oil](#)

[Frequently Asked Questions](#)


FREE MAIL ORDER CATALOG



Volvo 850 1993-95 w/VDO Cluster*

*Odometer located below

speedometer needle. To reset Service Reminder Indicator, turn ignition on with engine not running. Access the diagnostic unit located on the left fender well under the hood. Connect the single wire plug to terminal #7. Press the reset button four times shortly. When the LED glows, press the button once. When the LED glows steadily again, press the button five times. When the LED glows steadily again, press the button once. After the LED gives a couple of rapid flashes, the system is reset. Unplug the connector and turn the ignition off.



Volvo 850, 1996-97; S, V70, 1998-02; S80, 1999-02

Service reminder lamp must be reset with either a Scan Tool connected to the Data Link Connector (DLC), or connect a Volvo Reset Tool (J-42507) to the DLC and press the button on the tool to reset.

Volvo 1998-04 C70, 2000-04 V40 Ignition off. Press in trip odometer reset button. Switch on ignition. Continue pressing in the reset button for 10 seconds. Release reset button within 4 seconds.

Volvo 2002-04; V70, XC70, XC90, S40, S60, S80

Ignition position I. Press and hold in the reset button for the trip odometer. Ignition position II. NOTE: TURN THE KEY TO POSITION II WITHIN 2 SECONDS! Hold the reset button for the trip odometer pressed in until the original value has been reset. The information lamp lights when the reset button must be released.

Release the reset button for the trip odometer within 4 seconds. The instrument gives an audible signal when resetting has succeeded. If the trip odometer is already reset, the reset button must be held in for a minimum of 10 seconds and a maximum of 14 seconds.

[Home](#) :: [Products](#) :: [Technical Info](#) :: [Satisfied Customers](#) :: [Links](#) :: [How To Order](#) :: [Where To Buy](#)

We serve customers across the US and Canada without cross-border shipping costs and headaches

All information on this web site is © copyright 2009 synthetic-direct.ca